


Oil Pattern Distance	45	Reverse Brush Drop	39	Oil Per Board	50 ul
Forward Oil Total	14.45 mL	Reverse Oil Total	11.1 mL	Volume Oil Total	25.55 mL
Tank Configuration	Only A	Tank A Conditioner	Infinity	Tank B Conditioner	

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	3	14	111	0.0	3.9	3.9	5550
2	2L	2R	2	18	74	3.9	9.0	5.1	3700
3	9L	9R	1	18	23	9.0	11.5	2.5	1150
4	11L	11R	1	18	19	11.5	14.0	2.5	950
5	12L	12R	2	22	34	14.0	20.2	6.2	1700
6	13L	13R	1	22	15	20.2	23.3	3.1	750
7	14L	14R	1	22	13	23.3	26.4	3.1	650
8	2L	2R	0	26	0	26.4	45.0	18.6	0

	START	STOP	LOADS	SPEED	CROSSED	START	END	FEET	T.OIL
1	2L	2R	0	26	0	45.0	34.0	-11.0	0
2	17L	17R	1	26	7	34.0	30.4	-3.6	350
3	16L	16R	1	22	9	30.4	27.3	-3.1	450
4	14L	14R	2	22	26	27.3	21.1	-6.2	1300
5	11L	11R	1	18	19	21.1	18.6	-2.5	950
6	8L	8R	2	18	50	18.6	13.5	-5.1	2500
7	2L	2R	3	14	111	13.5	7.6	-5.9	5550
8	2L	2R	0	14	0	7.6	0.0	-7.6	0



Cleaner Ratio Main Mix                    NA            Forward  
 Cleaner Ratio Back End Mix            NA            Reverse  
 Cleaner Ratio Back End Distance        NA            Combined  
 Buffer RPM: 4 = 720 | 3 = 500 | 2 = 200 | 1 = 50

Item	3L-7L:18L-18R	8L-12L:18L-18R	13L-17L:18L-18R	18L-18R:17R-13R	18L-18R:12R-8R	18L-18R:7R-3R
Description	Outside Track:Middle	Middle Track:Middle	Inside Track:Middle	Middle: Inside Track	Middle:Middle Track	Middle:Outside Track
Track Zone Ratio	2.63	1.75	1.11	1.11	1.75	2.63

